

**September/October 2013**

1. Kantner C, Gürkov R. The Effects of Commonly Used Upward Gaze Angles on Ocular Vestibular Evoked Myogenic Potentials. *Otol Neurotol.* 2013 Aug 28; PMID: 23988989
2. Fujimoto C, Egami N, Kinoshita M, Sugasawa K, Yamasoba T, Iwasaki S. Factors Affecting Postural Instability in Meniere's Disease. *Otolaryngol Head Neck Surg.* 2013 Aug 26; PMID: 23980034
3. Hansson EE, Persson L, Malmström EM. Influence of vestibular rehabilitation on neck pain and cervical range of motion among patients with whiplash-associated disorder: A randomized controlled trial. *J Rehabil Med.* 2013 Aug 8; PMID: 23974698 [PubMed - as supplied by publisher]
4. Murofushi T, Komiyama S, Yoshimura E. Do patients who experience episodic tilting or translational sensations in the pitch plane have abnormal sacculo-collic reflexes? *Neurosci Lett.* 2013 Aug 20; PMID: 23973336
5. Hansson EE, Persson L, Malmström EM. Influence of vestibular rehabilitation on neck pain and cervical range of motion among patients with whiplash-associated disorder: A randomized controlled trial. *J Rehabil Med.* 2013 Aug 8; PMID: 23974698
6. Lin CY, Wang SJ, Young YH. Correlations Between Foam Posturography and Vestibular-Evoked Myogenic Potential Tests in Ménière's Disease. *Ear Hear.* 2013 Sep;34(5):673-9. PMID: 23985977
7. Zappia JJ. Benign paroxysmal positional vertigo. *Curr Opin Otolaryngol Head Neck Surg.* 2013 Oct;21(5):480-6. PMID: 23995328

**August 2013**

1. Schniepp R, Wuehr M, Pradhan C, Novozhilov S, Krafczyk S, Brandt T, Jahn K. Nonlinear variability of body sway in patients with phobic postural vertigo. *Front Neurol.* 2013 Aug 15;4:115. PMID: 23966974
2. Hong HR, Shim DB, Kim TS, Shim BS, Ahn JH, Chung JW, Yoon TH, Park HJ. Results of caloric and sensory organization testing of dynamic posturography in migrainous vertigo: comparison with Meniere's disease and vestibular neuritis. *Acta Otolaryngol.* 2013 Aug 16; PMID: 23947606
3. Kim SH, Chung WK, Kim BG, Hwang CS, Kim MJ, Lee WS. Periodic alternating nystagmus of peripheral vestibular origin. *Laryngoscope.* 2013 Aug 14; PMID: 23945904
4. Fujimoto C, Egami N, Kinoshita M, Sugasawa K, Yamasoba T, Iwasaki S. Postural stability in vestibular neuritis: Age, disease duration and residual vestibular function. *Laryngoscope.* 2013 Aug 8;. PMID: 23929712

5. Kaplan DM, Slovik Y, Joshua BZ, Puterman M, Kraus M. Head Shaking During Dix-Hallpike Exam Increases the Diagnostic Yield of Posterior Semicircular Canal BPPV. *Otol Neurotol.* 2013 Aug 6; PMID: 23928522
6. Park S, Kim BG, Kim SH, Chu H, Song MY, Kim M. Canal Conversion Between Anterior and Posterior Semicircular Canal in Benign Paroxysmal Positional Vertigo. *Otol Neurotol.* 2013 Aug 7;
7. Isaradisaikul S, Navacharoen N, Hanprasertpong C, Kangsanarak J. Role of cervical vestibular evoked myogenic potential response in identifying vestibular dysfunction. *J Laryngol Otol.* 2013 Aug 8;:1-6. PMID: 23927833
8. Zhang D, Zhang S, Zhang H, Xu Y, Fu S, Yu M, Ji P. Evaluation of vertebrobasilar artery changes in patients with benign paroxysmal positional vertigo. *Neuroreport.* 2013 Jul 30; PMID: 23903461
9. Sargent EW. The challenge of vestibular migraine. *Curr Opin Otolaryngol Head Neck Surg.* 2013 Jul 25; PMID: 23892794
10. Manzari L, Burgess AM, Macdougall HG, Curthoys IS. Vestibular function after vestibular neuritis. *Int J Audiol.* 2013 Aug 1;. PMID: 23902522

**June/July 2013**

1. Teggi R, Quaglieri S, Gatti O, Benazzo M, Bussi M. Residual Dizziness after Successful Repositioning Maneuvers for Idiopathic Benign Paroxysmal Positional Vertigo. *ORL J Otorhinolaryngol Relat Spec.* 2013 Jun 15;75(2):74-81. PMID: 23774304
2. Furman JM, Marcus DA, Balaban CD. Vestibular migraine: clinical aspects and pathophysiology. *Lancet Neurol.* 2013 Jul;12(7):706-15.
3. Iwasaki S, Egami N, Inoue A, Kinoshita M, Fujimoto C, Murofushi T, Yamasoba T. Ocular vestibular evoked myogenic potential elicited from binaural air-conducted stimulations: clinical feasibility in patients with peripheral vestibular dysfunction. *Acta Otolaryngol.* 2013 Jul;133(7):708-13.
4. Macdougall HG, McGarvie LA, Halmagyi GM, Curthoys IS, Weber KP. Application of the Video Head Impulse Test to Detect Vertical Semicircular Canal Dysfunction. *Otol Neurotol.* 2013 May 24.
5. Lehnert N, Glasauer S, Jahn K, Weber KP. Head impulses in complete bilateral vestibular loss: Catch-up saccades require visual input. *Neurology.* 2013 Jul 17; PMID: 23864312
6. Cohen HS, Mulavara AP, Peters BT, Sangi-Haghpeykar H, Bloomberg JJ. Standing balance tests for screening people with vestibular impairments. *Laryngoscope.* 2013 Jul 23. PMID: 23877965
7. Ekwall Hansson E, Magnusson M. Vestibular asymmetry predicts falls among elderly patients with multi-sensory dizziness. *BMC Geriatr.* 2013 Jul 22;13(1):77. PMID: 23875891 [

8. Ignasi PJ, Manuel RV, Guillem S, Antoni MR, Andreu LB. "Symptomatic vertebral artery stenosis secondary to cervical spondylolisthesis" Spine (Phila Pa 1976). 2013 Jul 18;. PMID: 23873243
9. Seo T, Saka N, Ohta S, Sakagami M. Detection of utricular dysfunction using ocular vestibular evoked myogenic potential in patients with benign paroxysmal positional vertigo. Neurosci Lett. 2013 Jul 1
10. Kapoula Z, Gaertner C, Yang Q, Denise P, Toupet M. Vergence and Standing Balance in Subjects with Idiopathic Bilateral Loss of Vestibular Function. PLoS One. 2013;8(6):e66652.
11. Honaker JA, Kretschmer LW. Impact of Fear of Falling for Patients and Caregivers: Perceptions Before and After Participation in Vestibular and Balance Rehabilitation Therapy. Am J Audiol. 2013 Jul 3

**May 2013**

1. Takasaki H, Treleaven J, Johnston V, Jull G. Contributions of Physical and Cognitive Impairments to Self-Reported Driving Difficulty in Chronic Whiplash-Associated Disorders. Spine (Phila Pa 1976). 2013 May 21
2. Gavriel H, Shlamkovich N, Kessler A, Eviatar E. Role of computerized dynamic posturography in evaluating sinogenic vertigo. Ann Otol Rhinol Laryngol. 2013 Apr; 122(4):263-8.
3. Batuecas-Caletrio A, Trinidad-Ruiz G, Schaeck C, Del Pozo de Dios JC, de Toro Gil L, Martin-Sanchez V, Martin-Sanz E. Benign Paroxysmal Positional Vertigo in the Elderly. Gerontology. 2013 May 15;. PMID: 23689314
4. Aligene K, Lin E. Vestibular and balance treatment of the concussed athlete. NeuroRehabilitation. 2013 Jan 1;32(3):543-53. PMID: 23648608
5. Gurley JM, Huisak BD, Kelly JL. Vestibular rehabilitation following mild traumatic brain injury. NeuroRehabilitation. 2013 Jan 1;32(3):519-28. PMID: 23648606
6. Cohen AH. Vision rehabilitation for visual-vestibular dysfunction: The role of the neuro-optometrist. NeuroRehabilitation. 2013 Jan 1;32(3):483-92.
7. Macdougall HG, McGarvie LA, Halmagyi GM, Curthoys IS, Weber KP. The Video Head Impulse Test (vHIT) Detects Vertical Semicircular Canal Dysfunction. PLoS One. 2013;8(4):e61488.
8. Rine RM, Wiener-Vacher S. Evaluation and treatment of vestibular dysfunction in children. NeuroRehabilitation. 2013 Jan 1;32(3):507-18. PMID: 23648605
9. Welgampola MS, Ramsay E, Gleeson MJ, Day BL. Asymmetry of balance responses to monaural galvanic vestibular stimulation in subjects with vestibular schwannoma. Clin Neurophysiol. 2013 Apr 30;. PMID: 23643313

10. Gurley JM, Huisak BD, Kelly JL. Vestibular rehabilitation following mild traumatic brain injury. *NeuroRehabilitation*. 2013 Jan 1;32(3):519-28. PMID: 23648606

**March/April 2013**

1. Dye DC, Eakman AM, Bolton KM. Assessing the Validity of the Dynamic Gait Index in a Balance Disorders Clinic: An Application of Rasch Analysis. *Phys Ther*. 2013 Feb 28;. PMID: 23449914
2. Newlands SD, Wei M. Tests of Linearity in the Responses of Eye-Movement-Sensitive Vestibular Neurons to Sinusoidal Yaw Rotation. *J Neurophysiol*. 2013 Feb 27;. PMID: 23446694
3. Akin FW, Hall CD, Murnane OD. The role of rotational stimulation in vestibular compensation. *Otolaryngol Head Neck Surg*. 2013 Jan;148(1):176-7. PMID: 22983679
4. Mahringer A, Rambold HA. Caloric test and video-head-impulse: a study of vertigo/dizziness patients in a community hospital. *Eur Arch Otorhinolaryngol*. 2013 Mar 15;. PMID: 23494283
5. Saxena A, Prabhakar MC. Performance of DHI Score as a Predictor of Benign Paroxysmal Positional Vertigo in Geriatric Patients with Dizziness/Vertigo: A Cross-Sectional Study. *PLoS One*. 2013;8(3):e58106. PMID: 23472142
6. Rossi-Izquierdo M, Santos-Pérez S, Rubio-Rodríguez JP, Lirola-Delgado A, Zubizarreta-Gutiérrez A, San Román-Rodríguez E, Juíz-López P, Soto-Varela A. What is the optimal number of treatment sessions of vestibular rehabilitation? *Eur Arch Otorhinolaryngol*. 2013 Mar 7;. PMID: 23467836
7. O'Reilly R, Morlet T, Pazuniak M, Greywood J, Levi J. Vestibular and balance testing in childhood migraine. *Laryngoscope*. 2012 Dec;122 Suppl 4:S93-4. PMID: 23254619
8. Riga M, Korres S, Korres G, Danielides V. Apogeotropic Variant of Lateral Semicircular Canal Benign Paroxysmal Positional Vertigo: Is There a Correlation Between Clinical Findings, Underlying Pathophysiologic Mechanisms and the Effectiveness of Repositioning Maneuvers? *Otol Neurotol*. 2013 Mar 18;. PMID: 23512075
9. Newman-Toker DE, Tehrani AS, Mantokoudis G, Pula JH, Gudeo CI, Kerber KA, Blitz A, Ying SH, Hsieh YH, Rothman RE, Hanley DF, Zee DS, Kattah JC. Quantitative Video-Oculography to Help Diagnose Stroke in Acute Vertigo and Dizziness: Toward an ECG for the Eyes. *Stroke*. 2013 Mar 5;. PMID: 23463752
10. Mohammad MT, Furman JM, Sparto PJ, Marchetti GF, Whitney SL. The Effect of Optotype Size and Velocity Parameters on the Performance of Healthy Young Adult Subjects on the Gaze Stabilization Test. *Otol Neurotol*. 2013 Mar 21;. PMID: 23524633

**January/February 2013**

1. Brodovsky JR, Vnenchak MJ. Vestibular Rehabilitation for Unilateral Peripheral Vestibular Dysfunction. *Phys Ther.* 2013 Jan 17; PMID: 23329556
2. Kim CH, Shin JJ, Kim J, Kim SJ. Reduced spike frequency adaptation in Purkinje cells of the vestibulocerebellum. *Neurosci Lett.* 2013 Jan 9; PMID: 23313132
3. Porciuncula F, Johnson CC, Glickman LB. The effect of vestibular rehabilitation on adults with bilateral vestibular hypofunction: A systematic review. *J Vestib Res.* 2012 Jan 1;22(5):283-98. PMID: 23302709
4. Pavlou M, Kanegaonkar RG, Swapp D, Bamiou DE, Slater M, Luxon LM. The effect of virtual reality on visual vertigo symptoms in patients with peripheral vestibular dysfunction: A pilot study. *J Vestib Res.* 2012 Jan 1;22(5):273-81. PMID: 23302708
5. Grill E, Bronstein A, Furman J, Zee DS, Müller M. International Classification of Functioning, Disability and Health (ICF) Core Set for patients with vertigo, dizziness and balance disorders. *J Vestib Res.* 2012 Jan 1;22(5):261-71. PMID: 23302707
6. Cambi J, Astore S, Mandalà M, Trabalzini F, Nuti D. Natural course of positional down-beating nystagmus of peripheral origin. *J Neurol.* 2013 Jan 5; PMID: 23292207
7. Maranhão ET, Maranhão-Filho P. Vestibulo-ocular reflex and the head impulse test. *Arq Neuropsiquiatr.* 2012 Dec;70(12):942-4. PMID: 23295423
8. Kostić M, Trotić R, Jankes KR, Leventić M. Benign paroxysmal vertigo in childhood. *Coll Antropol.* 2012 Sep;36(3):1033-6. PMID: 23213967
9. Kornilova LN, Naumov IA, Azarov KA, Sagalovitch VN. Gaze control and vestibular-cervico-ocular responses after prolonged exposure to microgravity. *Aviat Space Environ Med.* 2012 Dec;83(12):1123-34. PMID: 23316540